

## SNAP-IN-VINYL GLAZING BEAD


Glazing bead is grouped by shape. Sold per foot - Available in 6ft. lengths unless otherwise specified, minimum 120'

### 3 LINE SHAPE




Example

Please Consult Your Representative for Additional Colors, Styles and Sizes




Actual Size

| Part # | Color    |
|--------|----------|
| 65-30  | White    |
| 65-29  | Lt. Gray |





Actual Size

| Part # | Color    |
|--------|----------|
| 65-26  | Dk. Gray |
| 65-25  | White    |



Actual Size


| Part # | Color |
|--------|-------|
| 65-8   | Brown |
| 65-8W  | White |



Actual Size

| Part # | Color    |
|--------|----------|
| 65-1   | Lt. Gray |
| 65-59  | Black    |
| 65-1BG | Beige    |


### PORTALUME



Actual Size

| Part # | Color |
|--------|-------|
| 65-69  | Brown |
| 65-69W | White |



### CAPITOL - 800 SERIES



Actual Size

| Part # | Color |
|--------|-------|
| 65-60  | White |
| 65-60B | Black |


### DECO



Actual Size

| Part # | Color |
|--------|-------|
| 65-61  | White |
| 65-61B | Black |


### SILVER LINE



Actual Size


| Part # | Color |
|--------|-------|
| 65-66  | Gray  |
| 65-67  | White |

Muntin Bar Bead Refer to page 300.  
Used on 65-36 Bead Only - All 6" Lengths





Actual Size

| Part # | Color |
|--------|-------|
| 65-78B | Black |
| 65-78W | White |



Actual Size



| Part #     | Color |
|------------|-------|
| 900-16303  | Gray  |
| 900-16303W | White |



Actual Size

| Part #     | Color |
|------------|-------|
| 900-11480  | Brown |
| 900-11480W | White |


### CAPITOL



Actual Size

| Part #     | Color |
|------------|-------|
| 900-11481  | Brown |
| 900-11481W | White |



### CAPITOL



Actual Size

| Part #     | Color |
|------------|-------|
| 900-14895  | Black |
| 900-14895W | White |

### KRESTMARK




Actual Size

| Part #      | Color  |
|-------------|--------|
| 900-16724   | White  |
| 900-16724DB | Bronze |


## SNAP-IN-VINYL GLAZING BEAD

Glazing bead is grouped by shape. Sold per foot - Available in 6ft. lengths unless otherwise specified, minimum 120'




Actual Size

| Part #      | Color       |
|-------------|-------------|
| 900-16422   | White       |
| 900-16422BK | Black       |
| 900-16422DB | Dark Bronze |
| 900-16422G  | Gray        |




Actual Size

| Part #      | Color       |
|-------------|-------------|
| 900-16344   | Gray        |
| 900-16344B  | Black       |
| 900-16344DB | Dark Bronze |
| 900-16344W  | White       |




Actual Size

| Part # | Color    |
|--------|----------|
| 65-4   | White    |
| 65-5   | Lt. Gray |
| 65-4BR | Bronze   |



Actual Size


| Part # | Color |
|--------|-------|
| 65-352 | White |



Actual Size


| Part #   | Color  |
|----------|--------|
| 65-595BZ | Bronze |

GENERAL ALUMINUM




Actual Size

| Part #    | Color |
|-----------|-------|
| 900-17190 | White |




Actual Size

| Part #    | Color |
|-----------|-------|
| 900-18492 | White |




Actual Size

| Part #      | Color  |
|-------------|--------|
| 900-17870   | White  |
| 900-17870BZ | Bronze |




Actual Size

| Part #      | Color  |
|-------------|--------|
| 900-11015DB | Bronze |
| 900-11015W  | White  |




Actual Size

| Part #   | Color  |
|----------|--------|
| 65-350W  | White  |
| 65-350BZ | Bronze |



Actual Size


| Part #    | Color |
|-----------|-------|
| 900-21521 | Black |



Actual Size

| Part # | Color |
|--------|-------|
| 65-466 | White |



VE ANDERSON



Actual Size

| Part # | Color |
|--------|-------|
| 65-613 | White |


Sold by the foot in 6' Lengths 120' Minimum



Actual Size

| Part #  | Color |
|---------|-------|
| 65-321B | Black |
| 65-321W | White |


ALENCO



Actual Size


| Part # | Color |
|--------|-------|
| 65-42  | Black |
| 65-42W | White |

REYNOLDS



Actual Size

| Part # | Color    |
|--------|----------|
| 65-44  | Lt. Gray |



Actual Size


| Part # | Color |
|--------|-------|
| 65-20  | White |

KELLER

Note: Large minimum required


## SNAP-IN-VINYL GLAZING BEAD

Glazing bead is grouped by shape. Sold per foot - Available in 6ft. lengths unless otherwise specified, minimum 120'



Actual Size


| Part # | Color |
|--------|-------|
| 65-45  | White |
| 65-46  | Brown |



Actual Size

| Part #   | Color       |
|----------|-------------|
| 65-48    | Brown       |
| 65-48LBR | Light Brown |
| 65-49    | White       |

**PENNCO**




Actual Size

| Part # | Color |
|--------|-------|
| 65-367 | Gray  |

Dual Durometer. Sold in 8' Length with 15 Length Minimum


**CRESTLINE/PEACHTREE**



Actual Size

| Part # | Color |
|--------|-------|
| 65-57  | Brown |
| 65-58  | White |


**CAPITOL**



Actual Size


| Part # | Color |
|--------|-------|
| 65-47  | Brown |
| 65-47W | White |

**PENNCO**




Actual Size

| Part # | Color |
|--------|-------|
| 65-50  | White |



Actual Size


| Part # | Color |
|--------|-------|
| 65-52  | White |
| 65-52B | Black |



Actual Size

| Part #   | Color |
|----------|-------|
| 900-9093 | White |


**CAPITOL**



Actual Size


| Part #   | Color |
|----------|-------|
| 900-8745 | Black |

**ACORN**




Actual Size

| Part #    | Color       |
|-----------|-------------|
| 900-16144 | Dark Bronze |



Actual Size

| Part #    | Color |
|-----------|-------|
| 900-17559 | Black |




Actual Size

Clear flexible seal integrated here

| Part #     | Color  |
|------------|--------|
| 900-12029W | White  |
| 900-12029  | Bronze |

Dual Durometer

**PENNCO**




Actual Size

Double Dual Durometer Seal Integrated Here

| Part #   | Color |
|----------|-------|
| 65-101NS | Black |


**ACORN 2300 SERIES**



Actual Size

| Part # | Color |
|--------|-------|
| 65-101 | Black |


**ACORN 2300 SERIES**



Actual Size

| Part #  | Color |
|---------|-------|
| 65-104  | Black |
| 65-104W | White |


**ACORN 2300 SERIES**



Actual Size

| Part #  | Color |
|---------|-------|
| 65-106  | Black |
| 65-106W | White |


**ACORN 2900 SERIES**



Actual Size

| Part #  | Color |
|---------|-------|
| 65-105  | Black |
| 65-105W | White |

**ACORN 2300/3300 SERIES**




Actual Size

| Part # | Color |
|--------|-------|
| 65-108 | Black |

## SNAP-IN-VINYL GLAZING BEAD

Glazing bead is grouped by shape. Sold per foot - Available in 6ft. lengths unless otherwise specified, minimum 120'




Actual Size

| Part #  | Color  |
|---------|--------|
| 65-88   | Gray   |
| 65-88BZ | Bronze |


  

| Part # | Color  | Length  |
|--------|--------|---------|
| 65-168 | Bronze | 50-1/2" |



Actual Size


| Part #  | Color  |
|---------|--------|
| 65-89B  | Black  |
| 65-89BZ | Bronze |
| 65-89W  | White  |



Actual Size


| Part # | Color |
|--------|-------|
| 65-90  | White |

Dual Durometer. Old Wenco Bead Cut 6' Lengths  
**WENCO**



Actual Size


| Part #     | Color |
|------------|-------|
| 900-11865  | Black |
| 900-11865W | White |

**ACORN**

Actual Size


| Part #     | Color |
|------------|-------|
| 900-11563  | Brown |
| 900-11563W | White |

Dual Durometer



Actual Size


| Part #      | Color      |
|-------------|------------|
| 900-16067   | White      |
| 900-16067AG | Adobe Gray |
| 900-16067B  | Black      |

**ACORN**

Actual Size


| Part #      | Color  |
|-------------|--------|
| 900-17496   | White  |
| 900-17496BZ | Bronze |

Dual Durometer

**PENNCO**


Actual Size

| Part #    | Color |
|-----------|-------|
| 900-20445 | Black |

**ALUMINUM INDUSTRIES**


Actual Size

| Part #      | Color |
|-------------|-------|
| 900-18453BL | Black |
| 900-18453W  | White |

**WINTERSEAL**

Actual Size


| Part #    | Color |
|-----------|-------|
| 900-18550 | White |

**WINTERSEAL**

Actual Size


| Part #   | Color  |
|----------|--------|
| 65-531W  | White  |
| 65-531BZ | Bronze |

For Insulated Glass

**MILESTONE/FLORIDA EXTRUDERS**


Actual Size

| Part #  | Color |
|---------|-------|
| 65-444B | Black |

**ALUMINUM INDUSTRIES**

Actual Size


| Part #      | Color |
|-------------|-------|
| 900-17499   | White |
| 900-17499BR | Brown |

**PENNCO**

Actual Size

| Part #    | Color |
|-----------|-------|
| 900-17510 | White |


Head Vinyl Glazing Stop



Actual Size


| Part #   | Color |
|----------|-------|
| 900-8744 | Black |

Dual Durometer




Actual Size

| Part #   | Color      |
|----------|------------|
| 65-135   | White      |
| 65-135AG | Adobe Gray |



Actual Size


| Part #  | Color |
|---------|-------|
| 65-240W | White |



Actual Size

| Part #  | Color |
|---------|-------|
| 65-365W | White |

Sold in 8' Lengths w/ 15 Length Minimum


**BARBER & ROSS**

Actual Size


| Part #  | Color |
|---------|-------|
| 65-132  | Black |
| 65-132W | White |

## SNAP-IN-VINYL GLAZING BEAD

Glazing bead is grouped by shape. Sold per foot - Available in 6ft. lengths unless otherwise specified, minimum 120'





| Part #    | Color     |
|-----------|-----------|
| 900-15383 | Dark Gray |




| Part #  | Color |
|---------|-------|
| 65-545W | White |

Sold in 8' Lengths w/ 15 Length Minimum  
**VEKA**



| Part #     | Color |
|------------|-------|
| 900-10477W | White |




| Part # | Color    |
|--------|----------|
| 65-41  | White    |
| 65-40  | Lt. Gray |




| Part #  | Color  |
|---------|--------|
| 65-32BR | Bronze |
| 65-32   | Brown  |
| 65-33   | White  |
| 65-43   | Black  |

**CROSSLY**




| Part #   | Color  |
|----------|--------|
| 65-533W  | White  |
| 65-533BZ | Bronze |


For Single Pane Glass  
**MILESTONE 1000 SERIES/  
FLORIDA EXTRUDERS**



| Part # | Color |
|--------|-------|
| 65-28  | White |
| 65-27  | Black |




| Part #   | Color |
|----------|-------|
| 65-281W  | White |
| 65-281TN | Tan   |




| Part #      | Color  |
|-------------|--------|
| 900-12920W  | White  |
| 900-12920BZ | Bronze |


**ROLLYSON 2000 SERIES**



| Part # | Color |
|--------|-------|
| 65-16  | Black |
| 65-15  | Brown |




| Part # | Color    |
|--------|----------|
| 65-17  | Lt. Gray |
| 65-12  | Black    |
| 65-3   | White    |




| Part #  | Color |
|---------|-------|
| 65-532W | White |

For Impact Glass  
**MILESTONE/FLORIDA EXTRUDERS**




| Part # | Color |
|--------|-------|
| 65-71  | Black |
| 65-71W | White |

**BINNINGS**




| Part #    | Color |
|-----------|-------|
| 900-8668  | White |
| 900-8668B | Black |

**BINNINGS**




| Part #      | Color  |
|-------------|--------|
| 900-16683   | White  |
| 900-16683BZ | Bronze |

**BELLVIEW**




| Part #     | Color |
|------------|-------|
| 900-17038  | Black |
| 900-17038W | White |




| Part # | Color |
|--------|-------|
| 65-87  | Gray  |
| 65-87B | Black |

**ROLLYSON**



| Part #     | Color  |
|------------|--------|
| 900-10613  | Bronze |
| 900-10613W | White  |




| Part #  | Color  |
|---------|--------|
| 65-85   | White  |
| 65-85BZ | Bronze |

**CE**


## SNAP-IN-VINYL GLAZING BEAD

Glazing bead is grouped by shape. Sold per foot - Available in 6ft. lengths unless otherwise specified, minimum 120'




| Part #    | Color  |
|-----------|--------|
| 65-384W   | White  |
| 65-384B   | Black  |
| 65-384BRZ | Bronze |

Come in 6' Length 144' Minimum




| Part #      | Color  |
|-------------|--------|
| 900-14969BL | Black  |
| 900-14969   | White  |
| 900-14969BZ | Bronze |


PHILIPS/AIR CONTROL



| Part #      | Color  |
|-------------|--------|
| 900-19000   | Black  |
| 900-19000BR | Brown  |
| 900-19000BZ | Bronze |
| 900-19000W  | White  |




| Part #  | Color |
|---------|-------|
| 65-467W | White |

MILESTONE 2000 SERIES  
FLORIDA EXTRUDERS


| Part #      | Color  |
|-------------|--------|
| 900-18979   | Gray   |
| 900-18979BZ | Bronze |
| 900-18979W  | White  |

144' Minimum. Order in Multiples of 144'




| Part #  | Color |
|---------|-------|
| 65-564B | Black |
| 65-564W | White |

MILCO




| Part #  | Color |
|---------|-------|
| 65-253B | Black |
| 65-253W | White |

ALCAN/ANDERSON




| Part # | Color |
|--------|-------|
| 65-11  | Black |



AIRMASTER



| Part #    | Color |
|-----------|-------|
| 900-13327 | Black |




| Part #   | Color  |
|----------|--------|
| 65-488W  | White  |
| 65-488BZ | Bronze |

MILESTONE/FLORIDA  
EXTRUDERS

| Part # | Color    |
|--------|----------|
| 65-39  | Lt. Gray |


CAPITOL



| Part #  | Color  |
|---------|--------|
| 65-84B  | Black  |
| 65-84BZ | Bronze |
| 65-84WH | White  |


Sold in 6' Lengths/120' Minimum

VE ANDERSON/ALCAN




| Part # | Color |
|--------|-------|
| 65-83  | Black |

VE ANDERSON




| Part # | Color |
|--------|-------|
| 65-91  | White |
| 65-91B | Black |

ROLLYSON 1500 SERIES




| Part # | Color |
|--------|-------|
| 65-6   | White |
| 65-7   | Black |

V.E. ANDERSON




| Part #    | Color |
|-----------|-------|
| 900-14844 | White |

WINTERSEAL




| Part #    | Color |
|-----------|-------|
| 900-9954  | Black |
| 900-9954W | White |

KELLER



| Part #    | Color |
|-----------|-------|
| 900-11386 | Black |


ACORN 2300 SERIES



| Part #      | Color |
|-------------|-------|
| 900-18970BL | Black |
| 900-18970W  | White |


## SNAP-IN-VINYL GLAZING BEAD

Glazing bead is grouped by shape. Sold per foot - Available in 6ft. lengths unless otherwise specified, minimum 120'




| Part #    | Color |
|-----------|-------|
| 900-15075 | White |

### WINTERSEAL




| Part #     | Color  |
|------------|--------|
| 900-16343  | Bronze |
| 900-16343W | White  |




| Part #      | Color |
|-------------|-------|
| 900-20292   | White |
| 900-20292BR | Brown |


### ROLLYSON 2500 SERIES




| Part # | Color |
|--------|-------|
| 65-64  | Brown |
| 65-64W | White |



| Part # | Color |
|--------|-------|
| 65-53  | White |




| Part #  | Color       |
|---------|-------------|
| 65-70   | White       |
| 65-70DB | Dark Bronze |




| Part #     | Color |
|------------|-------|
| 900-20713W | White |

Dual Durometer




| Part #     | Color |
|------------|-------|
| 900-14823  | White |
| 900-14823B | Black |

### HOWARD




| Part #    | Color |
|-----------|-------|
| 900-20293 | White |

### ROLLYSON




| Part # | Color |
|--------|-------|
| 65-55  | White |




| Part # | Color     |
|--------|-----------|
| 65-31W | White     |
| 65-31  | Dark Gray |

### CAPITOL




| Part #     | Color |
|------------|-------|
| 900-21518  | Black |
| 900-21518G | Gray  |




| Part #      | Color  |
|-------------|--------|
| 900-16225   | White  |
| 900-16225BZ | Bronze |

Keller, Single Hung 76,  
General Aluminum & Krestmark




| Part #  | Color |
|---------|-------|
| 65-213W | White |

### PHILIPS




| Part #   | Color  |
|----------|--------|
| 65-456W  | White  |
| 65-456TN | Tan    |
| 65-456BZ | Bronze |



| Part #  | Color |
|---------|-------|
| 65-183W | White |


### HURD/RIVCO




| Part # | Color |
|--------|-------|
| 65-112 | Black |

Sold by the foot in 8' Length.  
120' minimum (15 lengths)

### TRACO




| Part #      | Color |
|-------------|-------|
| 900-16212   | White |
| 900-16212B  | Black |
| 900-16212BG | Beige |



| Part #  | Color |
|---------|-------|
| 65-514W | White |


### PGT



| Part #    | Color |
|-----------|-------|
| 900-18869 | White |


## SNAP-IN-VINYL GLAZING BEAD

Glazing bead is grouped by shape. Sold per foot - Available in 6ft. lengths unless otherwise specified, minimum 120'




Actual Size

| Part #      | Color |
|-------------|-------|
| 900-9953NEW | Black |
| 900-9953NW  | White |

New style  
**KELLER**

| Part #      | Color  |
|-------------|--------|
| 900-14617   | White  |
| 900-14617BG | Beige  |
| 900-14617BZ | Bronze |


All 8' Lengths.

**NORCO/VETTER/JELD-WEN**

Actual Size


| Part #  | Color |
|---------|-------|
| 65-515W | White |

15' Lengths. Cut in Half for Shipping.

**PGT**


Actual Size

| Part #  | Color |
|---------|-------|
| 65-235W | White |

**ACORN**


Actual Size

| Part #  | Color |
|---------|-------|
| 65-241W | White |

**KINRO/ACORN**


Actual Size

| Part # | Color |
|--------|-------|
| 65-95  | White |




Actual Size

| Part #      | Color  |
|-------------|--------|
| 900-18974BL | Black  |
| 900-18974BZ | Bronze |
| 900-18974W  | White  |

**PHILIPS**


Actual Size

| Part #  | Color |
|---------|-------|
| 65-318W | White |

**KINRO/ACORN**


Actual Size

| Part #  | Color  |
|---------|--------|
| 65-73   | White  |
| 65-73B  | Black  |
| 65-73BZ | Bronze |
| 65-73G  | Gray   |

**CROFT**

Actual Size

| Part #      | Color |
|-------------|-------|
| 900-19291WH | White |



Actual Size

| Part #     | Color |
|------------|-------|
| 900-20135  | Brown |
| 900-20135W | White |




Actual Size

**900-11139**

Black 6' Lengths 120" Minimum


**ACORN**

## TRACKS




Actual Size

| Part # | Color |
|--------|-------|
| 65-65  | Black |




Actual Size

| Part # | Color    |
|--------|----------|
| 65-68  | Charcoal |

**CAPITOL**

Actual Size

| Part # | Color |
|--------|-------|
| 65-81W | White |

**SEASONALL**


Actual Size

| Part # | Color |
|--------|-------|
| 65-9   | White |
| 65-10  | Black |



Actual Size


| Part # | Color      |
|--------|------------|
| 65-63  | Light Gray |

**CAPITOL**

Actual Size

| Part # | Color |
|--------|-------|
| 65-56  | Black |

## MUNTIN BARS




Actual Size

| Part # | Color                 |
|--------|-----------------------|
| 65-36  | White with White bead |

Sold by the Foot.  
120' Minimum

Note: All 6' Lengths  
**CAPITOL**




Actual Size

| Part # | Color |
|--------|-------|
| 65-37  | White |

Sold by the Foot.  
120' Minimum

Aluminum. All 8' Lengths


## PLUNGER



3/32"  
1"  
1/8"

**90-1024**  
Nylon


## MUNTIN CLIPS



1"  
1/2"  
7/8"


**90-852**  
White  
**ALCAN/NORANDEX**

## MUNTIN CLIPS




17/32"  
5/8"

**90-1022B**  
Black



21/32"  
5/8"


**90-1023B**  
Black



17/32"  
21/32"  
9/16"  
.086"


**90-630**  
White Nylon

## GRILLE PINS



1-1/8"  
1/2"

**90-857**  
Clear Plastic w/ Steel Shaft



1-1/32"  
1/2"


**90-973**  
Clear Plastic w/ Steel Shaft

## WINDOW GRILLE KIT

The window grille kit is simple to install and easy to remove for cleaning at a fraction of the typical cost. The kit contains enough material for a standard size window or door including: **12 pieces of 24" Profile, 8 "X" Connectors and 16 Fasteners.**

The Window Grille Kit can be used on wood, vinyl or aluminum materials. These attractive profiles are currently available in white only.


**90-516**



**profile + connectors + fasteners + together =**

## METAL GLAZING BEAD


Sold by Length - 72" = 1 Length. Minimum 10 Lengths Unless Otherwise Specified



Actual Size

| Part #  | Color |
|---------|-------|
| 65-516W | White |


**PGT**



Actual Size

| Part #  | Color |
|---------|-------|
| 65-517W | White |


**PGT**



Actual Size

| Part #  | Color |
|---------|-------|
| 65-518W | White |


**PGT**



Actual Size

| Part #   | Color    |
|----------|----------|
| 65-158-6 | Aluminum |
| 65-159-6 | Bronze   |
| 65-160   | White    |
| 65-160B  | Black    |


Single Hung  
**YALE**



Actual Size

| Part #    | Color    |
|-----------|----------|
| 65-161-6  | Aluminum |
| 65-161W-6 | White    |

Awning Type Window  
**YALE**



Actual Size

| Part #   | Color    |
|----------|----------|
| 65-154-6 | Aluminum |
| 65-155-6 | White    |

Single Hung  
**HARCAR**



Actual Size

| Part #   | Color    |
|----------|----------|
| 65-163-6 | Aluminum |

Single Hung  
**ABC/CROWN/TUCKER**




Actual Size

| Part #  | Color    |
|---------|----------|
| 65-164  | Aluminum |
| 65-164W | White    |


Single Hung  
**KINCO**

## METAL GLAZING BEAD


Sold by Length - 72" = 1 Length. Minimum 10 Lengths Unless Otherwise Specified




| Part # | Color    |
|--------|----------|
| 65-143 | Aluminum |
| 65-144 | White    |
| 65-145 | Bronze   |

Single Hung  
**PAN AM**


| Part # | Color    |
|--------|----------|
| 65-146 | Aluminum |

Awning Type Window  
**PAN AM**

| Part #     | Color    |
|------------|----------|
| 65-156-6   | Aluminum |
| 65-157-6   | White    |
| 65-156BZ-6 | Bronze   |


Awning Type Window  
**HARCAR**

| Part #   | Color    |
|----------|----------|
| 65-166-6 | Aluminum |
| 65-167-6 | Bronze   |


Single Hung  
**SECURITY**

| Part # | Color |
|--------|-------|
| 65-117 | Mill  |


6' Length




| Part # | Color  |
|--------|--------|
| 65-460 | Mill   |
| 65-461 | Bronze |
| 65-462 | White  |

**PAN AM**


| Part #   | Color  |
|----------|--------|
| 65-479   | Mill   |
| 65-479BZ | Bronze |
| 65-479W  | White  |

**CROWN**


| Part #   | Color  |
|----------|--------|
| 65-482   | Mill   |
| 65-482BZ | Bronze |
| 65-482WH | White  |




| Part #  | Color |
|---------|-------|
| 65-483  | Mill  |
| 65-483W | White |

**JACOBSON**


| Part #   | Color  |
|----------|--------|
| 65-480   | Mill   |
| 65-480BZ | Bronze |

**HARCAR**


| Part #   | Color  |
|----------|--------|
| 65-113   | Mill   |
| 65-113BZ | Bronze |

**VINYL TECH**


| Part #  | Color |
|---------|-------|
| 65-481  | Mill  |
| 65-481W | White |

**YALE**


| Part # | Color |
|--------|-------|
| 65-463 | White |

**PGT**

| Part #   | Color  |
|----------|--------|
| 65-477   | Mill   |
| 65-477BZ | Bronze |


**TUCKER**

| Part #  | Color |
|---------|-------|
| 65-478W | White |


**PAN AM**

| Part #   | Color  |
|----------|--------|
| 65-543   | Mill   |
| 65-543BZ | Bronze |
| 65-543WH | White  |


6' Length, 10 Length Minimum

**AAA STAMPING**Sold by Length - 6' Length, Minimum 20 Lengths  
Full Carton Also Available. Contact Account Manager for Details.**65-493W**


White. 6' Length

**65-494BZ**


Bronze. 6' Length

**65-499W**

White. 6' Length

**65-497BZ**


Bronze. 6' Length

**65-498BZ**

Bronze. 6' Length


## METAL GLAZING BEAD

Sold by Length - 6' Length, Minimum 20 Lengths  
Full Carton Also Available. Contact Account Manager for Details.




| Part #   | Color  |
|----------|--------|
| 65-492   | Mill   |
| 65-492BZ | Bronze |
| 65-492W  | White  |
| 65-492B  | Black  |

6' Length




| Part #   | Color    |
|----------|----------|
| 65-491BZ | Bronze   |
| 65-491   | Aluminum |
| 65-491B  | Black    |

6' Length




| Part #   | Color  |
|----------|--------|
| 65-496   | Mill   |
| 65-496W  | White  |
| 65-496B  | Black  |
| 65-496BZ | Bronze |

6' Length




| Part #   | Color    |
|----------|----------|
| 65-507   | Aluminum |
| 65-507W  | White    |
| 65-507BR | Brown    |

6' Length




| Part #  | Color |
|---------|-------|
| 65-495  | Mill  |
| 65-495W | White |

6' Length




| Part #  | Color |
|---------|-------|
| 65-500M | Mill  |
| 65-500W | White |


White. 6' Length




**65-505DBR**  
Dark Brown. 6' Length



**65-504DBR**  
Dark Brown. 6' Length




**65-506DBR**  
Dark Brown. 6' Length




**65-536W**  
White. 6' Length

## VINYL GLAZING SPLINE


Fits 80-85% of all spline type aluminum windows. Fits all type glazing spline.




| Part # | Length    | Color |
|--------|-----------|-------|
| 68-1   | 100 ft.   | Gray  |
| 68-1M  | 1,000 ft. | Gray  |




| Part # | Length    | Color |
|--------|-----------|-------|
| 68-2   | 100 ft.   | Gray  |
| 68-2M  | 1,000 ft. | Gray  |




| Part # | Length    | Color |
|--------|-----------|-------|
| 68-3   | 100 ft.   | Gray  |
| 68-3M  | 1,000 ft. | Gray  |




| Part # | Length    | Color |
|--------|-----------|-------|
| 68-4   | 100 ft.   | Gray  |
| 68-4M  | 1,000 ft. | Gray  |




| Part # | Length    | Color |
|--------|-----------|-------|
| 68-10  | 100 ft.   | Gray  |
| 68-10M | 1,000 ft. | Gray  |




| Part # | Length    | Color |
|--------|-----------|-------|
| 68-9   | 100 ft.   | Gray  |
| 68-9M  | 1,000 ft. | Gray  |




| Part # | Length    | Color |
|--------|-----------|-------|
| 68-13  | 100 ft.   | Gray  |
| 68-13M | 1,000 ft. | Gray  |



| Part # | Length    | Color |
|--------|-----------|-------|
| 68-14  | 100 ft.   | Gray  |
| 68-14M | 1,000 ft. | Gray  |




| Part #    | Length  | Color |
|-----------|---------|-------|
| 900-9465  | 100 ft. | Gray  |
| 900-9465B | 100 ft. | Black |



**WDV 7 BK**  
Black. 500 Ft.


## GRAY VINYL GLAZING CHANNELS

Glazing Channel for Single Strength Glass 1/16" (1.6MM)




| Part # | Length    |
|--------|-----------|
| 67-5   | 100 ft.   |
| 67-5M  | 1,000 ft. |

Channel Depth 17/64"  
Metal Opening 3/16" to 9/32"




| Part # | Length    |
|--------|-----------|
| 67-7   | 100 ft.   |
| 67-7M  | 1,000 ft. |

Channel Depth 11/32"  
Metal Opening 9/32"




| Part # | Length    |
|--------|-----------|
| 67-2   | 100 ft.   |
| 67-2M  | 1,000 ft. |

Channel Depth 13/64"  
Metal Opening 9/64" to 11/64"



| Part # | Length    |
|--------|-----------|
| 67-6   | 100 ft.   |
| 67-6M  | 1,000 ft. |

Channel Depth 9/32"  
Metal Opening 5/32" to 3/16"




| Part # | Length    |
|--------|-----------|
| 67-1   | 100 ft.   |
| 67-1M  | 1,000 ft. |

Channel Depth 15/64"  
Metal Opening 5/32" to 1/4"


## GRAY VINYL GLAZING CHANNELS

Glazing Channel for Double Strength Glass 1/8" (3.2MM) Minimal dimension changes may occur due to varying rubber components.




| Part # | Length    |
|--------|-----------|
| 67-9   | 100 ft.   |
| 67-9M  | 1,000 ft. |

Channel Depth 9/32"  
Metal Opening 1/4" to 19/64"




| Part # | Length    |
|--------|-----------|
| 67-10  | 100 ft.   |
| 67-10M | 1,000 ft. |


Channel Depth 15/64"  
Metal Opening 7/32" to 15/64"



| Part # | Length  |
|--------|---------|
| 67-14  | 100 ft. |

**67-123B**

Black  
400' Roll


**67-43**

Black  
200' Roll


Glazing Channel for 3/16" Glass

## BLACK VINYL GLAZING CHANNELS


Glazing Channel for 1/4" Glass

**67-35**


Black. Sold in 50' Rolls

**900-21729NS**


Black. Sold in Multiples of 100'  
**ACORN 2300 SERIES**

**900-21986**

Black. Sold in Multiples of 100'

**67-18**

Black. Serrations spaced at 7/32" intervals. Sold in Multiples of 100'

**900-17896**


Gray. Sold in Multiples of 100'

## U-CHANNEL


## PERIMETER SEALS

## PERIMETER SEALS


## GLAZING SPLINE WITH FLEXIBLE FIN

**900-8718**

Horizontal, Gray.  
Sold in Multiples of 100'

**900-11245**


Vertical, Gray.  
Sold in Multiples of 100'



Actual Size

**900-9970**


Gray. Sold in Multiples of 100'



Actual Size

**900-15846**

Gray. Sold in Multiples of 100'




Actual Size

**900-16077**

Gray. Sold in Multiples of 100'


## LEAF WEATHERSEALS



**63-310W**

White


7' Length - 20 Length Minimum



**63-183-96W**

White


8' Length - 10 Length Minimum



**900-20766TN**


Tan

7' Length - 20 Length Minimum




| Part # | Color |
|--------|-------|
| 65-75  | Beige |
| 65-75W | White |

Used Primarily On Wood, Casement & Marvin Windows  
6' Length - 120' Minimum




**63-313TN**

8' Length - 15 Length Minimum




**900-20755**

7' Length - 20 Length Minimum




| Part #      | Color |
|-------------|-------|
| 900-20746TN | Tan   |
| 900-20746   | White |

8' Length - 15 Length Minimum  
**MALTA**




**63-381B**

Black. (6' Length) Order in Multiples of 6  
**PEACHTREE**



**900-21613N**

70". Black. Replaces Driftwood. Sold in Multiples of 5 Lengths. 5 Length Minimum  
**PEACHTREE**




**63-327BZ**

Bronze  
**NORCO/JELD-WEN**


## FOAM "T" SLOT WEATHERSEAL

Superior operating ease. Outer cladding cuts friction in half. Superior resistance to compression set with one of a kind foam formula. Superior backing. Slips into a T-Slot and stays there. No stretching, no shrinkage.




| Part #     | A    |
|------------|------|
| 900-20383W | .190 |
| 900-20478W | .270 |

White. 100' Rolls




| Part #   | Color |
|----------|-------|
| 63-469B  | Black |
| 63-469BG | Beige |
| 63-469W  | White |

T-Slot Bulb Seal




**63-171**

Black  
Sold in Multiples of 100'



| Part # | Color |
|--------|-------|
| 63-247 | Black |


Vinyl. Sold in Multiples of 100'



**900-20207**


Black Vinyl. Sold in Multiples of 100'

**SEASONALL/SILVER LINE**




**63-202W**

White




| Part #  | Color |
|---------|-------|
| 63-465W | White |
| 63-465B | Black |

T-Slot Bulb Foam Offset.




**900-20230**

Foam Filled White Vinyl Bubble Seal. Sold in Multiples of 100'  
**SEASONALL**



**900-20281W**


White. Sold in 8' Lengths. Minimum 15 Lengths  
**SEASONALL**




**63-552W**

Bulb Weather Strip. White  
100' Rolls  
**PGT**

## WEATHERSTRIP


**900-18224**

"T" Slot Extruded Vinyl  
Black. Sold in Multiples of 100'




| Part #  | Color |
|---------|-------|
| 63-429B | Black |
| 63-429W | White |


Vinyl. Sold in Multiples of 100'

**900-21430**


White

**63-425B**


.187 Backing X .300 Height.  
Sold by ft. in multiples of 100'  
Rolls. Black.

**900-15702**

Gray  
**PAN AM**


**63-323W**

Offset Foam Bulb T-Slot  
Weatherseal. White




| Part #   | Color |
|----------|-------|
| 63-379B  | Black |
| 63-379GY | Gray  |

Q-Lon Weatherseal  
**SCHLEGEL**


**63-362B**

Q-Lon Weatherseal. Black



| Part #   | Color |
|----------|-------|
| 63-288W  | White |
| 63-288BG | Beige |

Sold in Multiples of 100'




| Part #   | Color |
|----------|-------|
| 63-513TN | Tan   |

Sold in Multiples of 100'

**900-10041**


Tan. Sold in 100' Rolls.




| Part #   | Color      |
|----------|------------|
| 63-150BG | Beige      |
| 63-150W  | White      |
| 63-150BL | Black      |
| 63-150DB | Dark Brown |

| Part #  | Color |
|---------|-------|
| 63-164  | Beige |
| 63-164W | White |
| 63-164B | Black |

Sold in Multiples of 100'


**63-208-82BZ**

Bronze Vinyl. 82" Long.  
10 Length Minimum

**PREMDOR/THERMA-TRU**


| Part #    | Color |
|-----------|-------|
| 63-703W   | White |
| 63-703BRN | Brown |

Kerf Weatherseal. Sold by the  
Foot in 100' Rolls




| Part #   | Color  |
|----------|--------|
| 63-215BZ | Bronze |
| 63-215W  | White  |


Sold in Multiples of 100'

**63-181BZ**


No Longer Available.  
Use 63-634BR

**63-300W**


White  
**SCHLEGEL**

**63-274W**


White



| Part #  | Color |
|---------|-------|
| 63-193W | White |
| 63-193  | Beige |


**VEKA****63-177BG**

Beige. Rigid Kerf Leg.  
Sold in Multiples of 100'




| Part #  | Color |
|---------|-------|
| 63-360B | Black |

Sold in Multiples of 100'  
**ACORN**


**63-170**

White. Extruded Vinyl.  
Sold in Multiples of 100'




| Part #     | Color |
|------------|-------|
| 63-502B-1  | Black |
| 63-502GY-1 | Gray  |

Sold By 100' Roll

**PAN AM****900-19465**


Gray. Sold By 100' Roll

## WEATHERSTRIP




| Part #    | Color |
|-----------|-------|
| 900-21288 | Black |

Sold by the foot in 100' rolls




| Part #      | Finish          |
|-------------|-----------------|
| 19-850-36   | Mill            |
| 19-850BZ-36 | Bronze Anodized |

Set Contains 1 piece 36" Long and 2 pieces 84" Long. Includes Fasteners.




**19-850-96F**  
96" Long. Mill. Includes Fasteners.



| Part #     | Finish |
|------------|--------|
| 63-374B-17 | Black  |
| 63-374W-17 | White  |


**Santoprene**  
17" Long. Adhesive Backed. For 6'8" Metal Door Jambs. Includes Installation Instructions and Alcohol Pads.



**63-374DBR-20**


**Silicone**

Brown. 20' Long. Adhesive Backed. For 8" Metal Door Jambs. Includes Installation Instructions and Alcohol Pads.




**63-416B**

Black EPDM Sponge  
Sold by the foot in 100' Rolls




**63-207**

White  
Sold in Multiples of 100'




| Part #   | Color  |
|----------|--------|
| 63-221BZ | Bronze |
| 63-221W  | White  |

Sold in 150' Roll  
**SCHLEGEL**



| Part #   | Color  |
|----------|--------|
| 63-385W  | White  |
| 63-385BZ | Bronze |
| 63-385BG | Beige  |

Sold in Multiples of 100'  
**SCHLEGEL**




| Part #   | Color |
|----------|-------|
| 63-391W  | White |
| 63-391BG | Beige |

Q-LON Foam Seal Weatherstrip  
Sold in Multiples of 200'  
Per Spool  
**CARADCO/ POZZI SILVER LINE**

## ADHESIVE-BACKED FOAM DOOR SEAL



- The seal is composed of a cellular foam core and is clad in an embossed, non-vinyl, painted resistant liner.
- Door seal is for kerfless applications.
- One profile seals the strike side, hinge side and header while maintaining a tight seal.
- Note: Recommended temperature for installation not less than 40° F.
- Door seal comes in 82" lengths and sold in multiples of 10 lengths.



| Part #   | Color  |
|----------|--------|
| 63-236BZ | Bronze |


## NAIL-UP FOAM DOOR SEAL

- Nail-up door seal set can be used for both wood and metal doors.
- Can also be used for leaking windows.
- Door seal comes in 7 ft. lengths and sold in multiples of 10 lengths.




| Part #      | Color |
|-------------|-------|
| 900-18139BX | Brown |
| 900-18139WX | White |

## DOOR SWEEP




| Part #        | Color  | Length    |
|---------------|--------|-----------|
| 900-16933     | Beige  | 35-11/16" |
| 900-16933BZ   | Bronze | 35-11/16" |
| 900-16933W    | White  | 35-11/16" |
| 900-16933W-32 | White  | 31-11/16" |

**BENCHMARK/GENERAL PRODUCTS**




**900-20750-36**

Bronze Vinyl  
36" Long



| Part #      | Color  | Length    |
|-------------|--------|-----------|
| 900-22371   | Bronze | 34-17/32" |
| 19-342BG-36 | Beige  | 36"       |
| 19-342BG-48 | Beige  | 48"       |
| 19-342BZ-36 | Bronze | 36"       |
| 19-342BZ-48 | Bronze | 48"       |

**MALTA**



| Part #    | Color | Length |
|-----------|-------|--------|
| 19-447-36 | Brown | 36"    |
| 19-447-48 | Brown | 48"    |

for 2-1/4" Doors


**Field Performance**

- Sure Seal (5) Fin Design
- Flexible to -25 Degrees F.
- Moisture Drip Fin
- Rigid PVC Base Retains Shape
- Extra Tough, Flexible PVC, Tear Resistant Fins

**Installation Performance**


- Universal Fit: Steel, Fiberglass & Wood Doors
- Staple Mount
- Split Resistant PVC
- Inside Door Mounting Lip

## DOOR SWEEP




| Part #      | Finish |
|-------------|--------|
| 900-8179    | White  |
| 900-8179BLK | Black  |
| 900-8179M   | Mill   |

36" Long. Includes Fasteners.




| Part #      | Finish          |
|-------------|-----------------|
| 19-1032A    | Mill            |
| 19-1032AZBZ | Bronze Anodized |

36" Long. Includes Fasteners.


**19-1046AZ-36**

36" Long. Clear Anodized.  
Includes Fasteners.  
Adjustable Oblong Screw Holes.




| Part #      | Finish          |
|-------------|-----------------|
| 19-1031A    | Mill            |
| 19-1031AZBZ | Bronze Anodized |

36" Long. Triple Sweep.  
Includes Fasteners.


**19-648**

36" Long. Mill. Concealed Door Bottom.  
1/2" Clearance. Includes Fasteners.




| Part #      | Finish          |
|-------------|-----------------|
| 19-1030A    | Mill            |
| 19-1030AZBZ | Bronze Anodized |

36" Long. Includes Fasteners.




| Part #       | Finish          |
|--------------|-----------------|
| 19-1033AZ-36 | Clear Anodized  |
| 19-1033AZBZ  | Bronze Anodized |

36" Long. Includes Fasteners.  
Heavy Duty


**19-375A-36**

36" Long. Mill. Includes Fasteners.


## VINYL DOOR BOTTOM/SWEEPS

**900-14246**

36" Long. Mill. For 1-3/8" or 1-3/4" Doors.  
Includes Fasteners.


**19-702A**

Mill. 36" Long. Includes Fasteners.




| Part #       | Finish |
|--------------|--------|
| 19-1045W-36  | White  |
| 19-1045BR-36 | Bronze |

36" Long. Includes Fasteners and  
Adjustable Oblong Screw Holes.


**19-460**

36" Long. Brown. Notched.

## FOAM DOOR SEALS

**19-1053-37**


37" Long. Brown. For 1-3/4" Wood Doors.



| Part #     | Color  | Length |
|------------|--------|--------|
| 900-9176BZ | Bronze | 82"    |
| 900-9176W  | White  | 82"    |

Fire Rating: UL Rated for up to  
180 Minutes. Sold in Multiples of  
10 Lengths Min.

## NEOPRENE SPONGE GASKET

**68-70B**

Black. 1000' Per Box.  
Sold in Multiples of 1000 ft.

## FOAM DOOR SEALS



**NEW From the  
makers of Q-Lon  
Door Seals**



## New E-Lon Foam-Tite® Door Seals

- Direct drop-in replacement for our old 63-181 Q-Lon door seals •
- E-Lon is more flexible and water resistant •

We are pleased to announce the availability of E-Lon door seals from AmesburyTruth™. It's the same high performing closed cell thermoplastic elastomer (TPE) found in other popular Foam-Tite® products. What makes E-Lon different and better than other door weather-strip products is its unique design combined with the superiority of the Foam-Tite® TPE material. You will note the hollows from the illustration on the right have been strategically placed into the profile to optimize the compression load deflection (CLD). The CLD is an industry metric used to measure the closing force of a door. E-Lon has been designed to mimic the closing force of other door weatherstrip products, so your door feels the same when you close it and lock it.



### Reasons to want E-Lon Foam-Tite® Door Seals in your door:

- AAMA 702 Class A Performance Rating
- Low CLD
- Low H<sub>2</sub>O absorption
- Low shrinkage
- Low compression set
- Recyclable and sustainable
- Seamless skin
- Tear resistant skin
- Process friendly / Easy Installation


**Sold in Multiples of 10 Lengths. 10 Length Minimum.**

| Part Number | Color       | Length |
|-------------|-------------|--------|
| 63-634BR-38 | Brown       | 38"    |
| 63-634BR-82 | Brown       | 82"    |
| 63-634BR-97 | Brown       | 97"    |
| 63-634TN-38 | Tan (Beige) | 38"    |
| 63-634TN-82 | Tan (Beige) | 82"    |
| 63-634TN-97 | Tan (Beige) | 97"    |
| 63-634W-38  | White       | 38"    |
| 63-634W-82  | White       | 82"    |
| 63-634W-97  | White       | 97"    |


**Sold by the Roll. 500' per Roll.**

| Part Number | Color       |
|-------------|-------------|
| 63-634BR    | Brown       |
| 63-634TN    | Tan (Beige) |
| 63-634WH    | White       |




## SKIRTING WEATHERSEAL




| Part #    | A    | Finish |
|-----------|------|--------|
| 900-17451 | .430 | Gray   |
| 900-17452 | .530 | Gray   |
| 900-17453 | .630 | Gray   |

**63-453**

Gray. Sold in 100' Spools

**90-572**White Plastic  
"Double"**90-573**White Plastic  
"Single"**900-5371**Plastic  
**ALSCO ANACONDA**


## ADHESIVE FOAM WEATHERSTRIPPING TAPE



| Part # | Size                         | Material           | Color |
|--------|------------------------------|--------------------|-------|
| 63-151 | 3/8" Wide x 3/16" High x 17' | Vinyl, Closed Cell | Gray  |
| 63-152 | 1/2" Wide x 3/8" High x 10'  | Vinyl, Closed Cell | Gray  |

## FOAM CORNER SEALS

Q-Lon® Door Seal made of open-cell urethane foam core and clad in embossed polyethylene. Strike jamb and hinge jamb sill corners. One profile seals the strike side, hinge side and header while maintaining a tight seal.




| Part #     | Color  |
|------------|--------|
| 63-192W-2  | White  |
| 63-192-2   | Bronze |
| 63-192BG-2 | Beige  |

2" Lengths


| Part #      | Color  |
|-------------|--------|
| 63-192W-96  | White  |
| 63-192-96   | Bronze |
| 63-192BG-96 | Beige  |

96" Lengths



| Part #   | Color  |
|----------|--------|
| 63-345-2 | Bronze |

2" Lengths



| Part #   | Color  |
|----------|--------|
| 63-296-2 | Bronze |

2" Lengths


## MAGNETIC WEATHERSTRIP REPLACEMENT FOR STEEL DOORS

Metal door replacement set consists of magnetic and compression pieces which fit into existing kerf around the door frame. Seals completely against drafts, dirt and moisture.

Packed 6 Per Carton

Set consists of:

- 1 pc. - 6' 8" Magnetic Weatherstrip
- 1 pc. - 3' Magnetic Weatherstrip
- 1 pc. - 6' 8" Compression Weatherstrip



| Part #      | Color  |
|-------------|--------|
| 900-9000S   | White  |
| 900-9000SBG | Beige  |
| 900-9000SBZ | Bronze |

## E.Z.D. GLAZING TOOL




| Part # | Description            |
|--------|------------------------|
| 59-79  | E.Z.D. Glazing Tool    |
| 59-79G | Hand Guard Replacement |
| 59-79X | Blade Replacement      |

1. The Tool was designed to assist in the Deglazing of Glass from Residential Vinyl Windows. The most common glazing systems include foam tape, silicone, and butyl tape. It was not designed for some of the newer glazing compounds which are extremely hard and strong. It is not recommended for the deglazing of commercial units.
2. The Blade is designed to lay flat on the surface of the glass and slide into the glazing pocket. Tests have shown that a small amount of soapy water will facilitate this action. Once the tool is inserted into the glazing pocket, the wheel will roll through the glazing material much the same as a pizza cutter rolls through a pizza.
3. After the entire perimeter of the unit has been cut, the glass may be removed by applying gentle pressure to each corner with a putty knife or similar instrument. Do not use the tool in the corner because the torque applied will shorten the life of the tool substantially and may result in injury to the user.

Note: While the hand guard does provide some measure of protection from broken glass it is recommended the user always wear safety glasses and gloves when using the tool. The tool should be stored in its plastic bag when not in use.

## ENTRASEAL DOOR ASTRAGAL SEALS



For commercial/entrance doors, including wood doors. Designed with unique features not available in other astragals.

- Standard pile height -.480"
- Five 7' lengths per tube.
- Sold in Multiples of 5.

### 63-500

Profile for Kawneer Door shown  
Black

## GRAY REPLACEMENT FIN WEATHERSTRIPPING


### 3/16" (.187) Backing Width

| Pile Height  | 100 Ft. | 500 Ft. | Misc.             |
|--------------|---------|---------|-------------------|
| .170 (11/64) | 63-76   | 63-77   | 63-78-4.5 (4500') |
| .200 (13/64) | 63-7    | 63-8    | 63-9R (4000')     |
| .230 (15/64) | 63-82   | 63-83   | 63-84-3.5 (3500') |
| .260 (17/64) | 63-85   | 63-86   | 63-87-3 (3000')   |
| .290 (19/64) | 63-25   | 63-26   | 63-27R (3000')    |
| .320 (21/64) | 63-94   | 63-95   | 63-96R (2500')    |
| .350 (23/64) | 63-34   | 63-35   | 63-36R (2500')    |


### 17/64" (.270) Backing Width

| Pile Height  | 100 Ft. | 500 Ft. | Misc.              |
|--------------|---------|---------|--------------------|
| .170 (11/64) | 63-40   | 63-41   | 63-42R (3500')     |
| .200 (13/64) | 63-46   | 63-47   | 63-48-3 (3000')    |
| .230 (15/64) | 63-52   | 63-53   | 63-54-2.5 (2500')  |
| .260 (17/64) | 63-112  | 63-113  | 63-114-2.5 (2500') |
| .290 (19/64) | 63-61   | 63-62   | 63-63-2 (2000')    |
| .320 (5/16)  | 63-121  | 63-122  | 63-123-2 (2000')   |
| .350 (23/64) | 63-70   | 63-71   | 63-72R (1500')     |


Additional backing sizes available: 23/64", 27/64", 1/2"



Standard Groove Dimensions



## WEATHERSTRIPPING WITH ADHESIVE BACKING



| Part #  | Length         |
|---------|----------------|
| 63-49TP | 100 ft. roll   |
| 63-51TP | 1,000 ft. roll |


7/32" (.220) Pile Height

| Part #  | Length         |
|---------|----------------|
| 63-55TP | 100 ft. roll   |
| 63-57TP | 1,000 ft. roll |

1/4" (.250) Pile Height


Other Sizes Available Upon Request With Minimum Orders

## WOOLPILE WEATHERSTRIP



### WDW 26


Gray. Sold by the Foot in 100' Rolls



### 900-13005

36" Replacement Threshold Insert. Gray, Vinyl

## MISC



### 900-14942

Wood & Vinyl Foam Door Set  
2 pc. 7' Long, 1 pc. 3' Long

## EDGETECH SUPER SPACER

# Edgetech Super Spacer

**Super Spacer® Premium Plus** is a flexible, silicone foam spacer product. Super Spacer® provides the maximum in perimeter insulation for sealed glazing units and prevents condensation. Desiccant-filled with pre-applied side adhesive, the structural foam spacer significantly simplifies insulating glass (IG) production.

Featuring a vapor barrier backing, the product must be used in combination with conventional IG sealants such as hot melt butyl, polyurethane and solvent-free polysulfide. Dual seal equivalent sealants may also be used.


### 1/4" Thick Super Spacer Premium Plus

| Gray    | Black    | Width  | Reel Size |
|---------|----------|--------|-----------|
| 92-503  | 92-503B  | 1/4"   | 66'       |
| 92-503X | 92-503XB | 1/4"   | 1100'     |
| 92-504  | -        | 5/16"  | 66'       |
| 92-504X | -        | 5/16"  | 1100'     |
| 92-505  | 92-505B  | 3/8"   | 66'       |
| 92-505X | 92-505XB | 3/8"   | 900'      |
| 92-507  | -        | 1/2"   | 66'       |
| 92-507X | -        | 1/2"   | 700'      |
| 92-509  | -        | 5/8"   | 66'       |
| 92-509X | -        | 5/8"   | 575'      |
| 92-512X | -        | 13/16" | 400'      |

## Edgetech New & Improved Energy efficient Super Spacer® Premium Plus.

### Enhanced Features Include:

- Up to 30% lower thermal conductivity
- Superior long-term durability
- The warmest edge of glass temperature
- The highest NFRC Condensation Resistance rating



## ADHESIVE SEALANT



# Soudal



| Part #  | Color | Size           |
|---------|-------|----------------|
| 59-137W | White | 10.1 oz. Tube  |
| 59-137  | Clear | 10.1 oz. Tube  |
| 59-138W | White | 20 oz. Sausage |

**Characteristics:**

- Permanent color
- UV resistant
- Excellent moisture and mold resistance.
- Stays fully elastic after curing
- Good adhesion on many materials
- Easy application
- Medium modulus
- Movement up to +/- 25%

**Applications:**

- Building and construction joints
- Top sealing at glazing jobs
- Suitable as back bedding compound as well as weather sealant
- Joints with high movement between different building materials
- Sealing between treated wood, metal, PVC profiles and glass

Silirub N1 is a Premium Grade 100%, Neutral Cure Silicone

- Permanently flexible
- Easy to apply
- Excellent adhesion to glass, vinyl, wood, aluminum & many more
- Low odor
- UV resistant
- No shrinkage
- AAMA compliant


**Surfaces:**

- Type: all usual building surfaces
- State of surface: clean, dry, free of dust and grease
- Preparation: Prime porous surfaces with Primer, no primer required for non-porous surfaces.


We recommend a preliminary compatibility test, especially on PVD and powder coated materials.

**Note: Custom Color Matching Available. Three Case Minimum (12 Per Case). Check with Your Account Manager for Available Colors and Lead Times.**


## CAULKING APPLICATORS

**59-102****Half Pipe Caulking Applicator HS65**


- Hardened push rod
- Hardened ratchet teeth push rod
- For cartridges 310ml/10.5 fl oz
- Color: Blue

**59-113****Half Pipe Caulking Applicator HPS44**

- Low weight synthetic tool
- Metal thrust block
- Rotary carriage
- Comfort grip handle
- For cartridges 310ml/10.5 fl oz
- Color: Red/Black

**59-104****Half Pipe Caulking Applicator HPS56**

- Rotary carriage
- Ladder hook
- Anatomically shaped trigger
- For cartridges 310ml/10.5 fl oz
- Color: Red/Black

**59-155****Caulking Applicator**

- Rotary carriage and ladder hook
- High density sintered thrust block 10mm
- Heat treated (hardened) pushing rod
- Black aluminum handle + aluminum trigger
- Maximum pushing power: 4,000N
- For high viscosity dispensing material
- 900ml cartridge/28 fl oz
- Trigger ratio: 18:1

**59-176****Half Pipe Caulking Applicator with Switchable Trigger Ratio. XP Delta**

- Rotary carriage and Ladder Hook
- Rubber coated handle and trigger
- Anticorrosive performance
- Switchable trigger ratios: 25:1 and 12:1
- Activatable non-drip function
- DELTA catch plate - extremely tough and durable
- For cartridges 310ml/10.5 fl oz
- Color: Black/Orange



## HPS SERIES BARREL APPLICATORS AND ACCESSORIES



### 59-159

#### Aluminium Barrel Applicator HPS400-A



- Rotary barrel
- Strong catch plate
- Stable aluminium screw caps
- Anatomically shaped trigger
- For cartridges 310ml/10.5 fl oz,
- Sausages 400ml/11.6 fl oz
- Color: Silver/Black



### 59-108

#### Aluminium Barrel Applicator HPS600-A

- Rotary barrel
- Strong catch plate
- Stable aluminium screw caps
- Anatomically shaped trigger
- For cartridges 310ml/10.5 fl oz,
- Sausages 400ml/11.6 fl oz, 600ml/20.2 fl oz
- Color: Silver/Black



## EXCEPT-310 CAULKING APPLICATOR



### 59-145

#### Aluminum Barrel Cap

- Sturdy screw caps made of aluminium
- For 59-159 & 59-108
- Color: Black



### 59-127

#### Tube Nozzle

- Solid nozzle for application of sausage material
- For 59-159 & 59-108
- Color: White



### 59-142

#### Push Plate Regular

- Push plate made of plastic
- For 59-159 & 59-108
- Color: White



### 59-163

#### Caulking Applicator

- For heavy-duty applications
- Rotary carriage and ladder hook
- Rubber-coated handle and trigger
- Anti-corrosive performance
- Integrated tip-cutter
- Activatable dripless function
- Trigger ratio 19:1
- 310ml cartridge/10.5 fl oz


## X7 & FX7 SERIES APPLICATORS AND ACCESSORIES



### 59-152

#### Skeleton Caulking Applicator X7




- Hexagonal push rod
- Dripless function
- Ladder hook
- Built-in puncture tool
- Trigger ratio 7:1
- For cartridges 310ml/10.5 fl oz
- Color: Black



### 59-105

#### Half Pipe Caulking Applicator FX7-90

- Rotary carriage and ladder hook
- Rubber-coated handle and trigger
- Multiple-strength thrust block (resistance 6000N)
- Double slide bearings for smooth-running function
- For high viscosity dispensing material
- Trigger ratio 17:1
- For cartridges 310ml/10.5 fl oz
- Color: Black/Turquoise



### 59-110


#### Aluminium Barrel Applicator FX7-40

- Rotary barrel and ladder hook
- Rubber-coated handle and trigger
- Multiple-strength thrust block (resistance 6000N)
- Double slide bearings for smooth-running function
- Push plate optimized for complete emptying
- For high viscosity dispensing material
- Trigger ratio 17:1
- For cartridges 310ml/10.5 fl oz,
- Sausages 400ml/11.6 fl oz
- Color: Silver/Black/Turquoise


## X7 &amp; FX7 SERIES APPLICATORS AND ACCESSORIES

## 59-106

## Aluminium Barrel Applicator FX7-60




- Rotary barrel and ladder hook
- Rubber-coated handle and trigger
- Multiple-strength thrust block (resistance 6000N)
- Double slide bearings for smooth-running function
- Push plate optimized for complete emptying
- For high viscosity dispensing material
- Trigger ratio 17:1
- For cartridges 310ml/10.5 fl oz,
- Sausages 400ml/11.6 fl oz, 600ml/20.2 fl oz
- Color: Silver/Black/Turquoise



## 59-150

## Side-By-Side Applicator FX7-34S


- Very sturdy tool with special hardened catch plate
- Double slide bearings for smooth-running function
- For high viscosity dispensing material
- Rubber-coated handle
- Trigger ratio 19:1
- For SBS-Dual component cartridges up to 345ml/11.6 fl oz and single 310ml/10.5 fl oz
- Color: Black



## 59-153

## Coaxial Applicator FX7-38

- Heavy duty construction
- Strong catch plate
- Rubber-coated handle
- Trigger ratio 22:1
- For coaxial cartridges up to 380ml/12.8 fl oz
- Color: Black



## 59-151

## Dual Component Applicator FX7-21DP

- Very sturdy construction
- Strong non-slipping catch plate
- Rubber-coated handle
- Trigger ratio 17:1
- For double cartridges 2 x 110ml/2 x 3.7 fl oz
- Color: Black



## 59-144

## Screw Cap Pro Front

- Screw cap made of Aluminium
- Coarse thread (front)
- For 59-110 & 59-106
- Color: Black



## 59-146

## Screw Cap Pro Back

- Screw cap made of Aluminium/Synthetic
- Fine thread (back)
- For 59-110 & 59-106
- Color: Black/Silver



## 59-126

## Tube Nozzle Pro

- Nozzle with wide margin
- Tight fixing in cap
- For improved sausage performance
- For 59-110 & 59-106
- Color: White



## 59-143

## Push Plate Pro

- Two-piece synthetic push plate with piston
- For complete emptying of sausages
- For 59-110 & 59-106
- Color: Black

## FOAM GUNS AND ACCESSORIES

59-107  
ERGO

- Light-weight synthetic/aluminium foam gun
- Metal tube and trigger
- Big adjusting screw for excellent grip
- Ergonomical, rubberized handle
- Color: Red/Black

59-109  
Metal Lite-Plus

- Solid Pro metal foam gun
- PTFE coated needle and can adaptor
- Large brass adjusting screw
- Tapered extrusion tube for high stability
- Rubberized handle for superior grip
- Color: Black/Red/Silver

59-156  
Guardia X7

- Complete stick resistant PTFE coating
- Optimized, stronger can adaptor
- Very good foam flow
- Precise foam adjusting with endstop function
- Rubber coated handle and trigger
- Daming sticker (great for private label)
- Color: Black/Red

## FOAM GUNS AND ACCESSORIES



### 59-157

#### Extreme X7

- Flexible foam gun tube with joint
- For special duty on hard-to-reach places
- Optimized, stronger can adaptor
- Precise dosage of foam flow
- Rubberized handle
- Daming sticker (great for private label)
- Color: Black/Red/Silver



### 59-158

#### Metal Lite XL

- Sturdy metal foam gun
- 60cm/1.97 ft tapered tube
- Rubber coated handle
- Non-slip brass adjusting knob
- Effortless working in confined spaces
- Foaming without a ladder
- Color: Grey/Black/Silver



### 59-149

#### Tube

- Plastic tubes for extension



### 59-147

#### Nozzle

- Plastic nozzles for foam guns




### 59-148

#### Fine Nozzle

- Nozzle attachment for special duty
- Color: Red

## LITHIUM-ION BATTERY CAULKING GUN



### 59-120

#### Powerjet-Li 310, 7.4V

- Automatic dripless function
- Stepless adjustable forward speed
- Rotary carriage
- Rubber-coated grip and trigger
- Built-in LED auxiliary light
- For cartridges 310ml/10.5 fl oz
- Color: Black/Red

## PNEUMATIC APPLICATOR



### 59-166

#### Pneumatic Applicator KB400

- Anodized aluminum tube
- Optimized center of gravity axis
- Working pressure 6-10 bar
- Minimal air consumption
- Easy pressure regulation and excellent dosage adjustment
- Including remodeling kit
- For cartridges 310ml/10.5 fl oz, sausages 400ml/11.6 fl oz

## MORTAR CAULKING APPLICATOR



### 59-154

#### Mortar Caulking Applicator X7-1000

- Heavy construction tool
- Wide catch plate
- Metal screw connection with handle
- Rubber coated handle and trigger
- Ladder hook
- Retaining clip secures tube
- Volume approx. 1000ml/33.8 fl oz
- Mortar Caulking Applicator X7-1000 is developed for clean and easy processing of mortar or joint sealer
- High stability and durability are guaranteed due to perfect fillings
- Precise application avoids dirty edges
- Possible usage at dry/ building construction, fire protection, etc.

## SEALANT FINISHER



### 59-169

#### Sealant Finisher

- Made of elastic plastic
- For several different joint sizes
- For inclined or round joints
- Easy to handle
- Four pieces in a box

## PU FOAMS

SOUDAL



**59-132**  
Gun Foam

Soudafoam Door & Window is a minimal expansion, one component, moisture curing PU foam

- 24 oz. Aerosol Can
- Minimal Expansion
- Easy Application
- Excellent Adhesion to Almost all Substrates
- Excellent Thermal and Acoustical Insulation
- No Shrinkage
- AAMA Compliant

SOUDAL



**59-134**  
Genius Gun

Soudafoam Door & Window is a minimal expansion, one component, moisture curing PU foam

- 20 oz. Aerosol Can
- Integrated Gun System
- Reusable
- Minimal Expansion
- Easy Application
- Excellent Adhesion to Almost all Substrates
- Excellent Thermal and Acoustical Insulation
- No Shrinkage

## CLEANERS

SOUDAL



**59-135**  
Cleaning Wipes

SwiPex are solvent based cleaning wipes for uncured sealants & adhesives.

- Non Woven Wipes Impregnated with a Mixture of Solvents, Biodegradable Non-Ionic Surfactants and Skin Emollients
- Suitable for all Non-Porous Surfaces
- For Hands and Tools
- Cleans Uncured Solvent
- Removes Oil, Adhesive, Etc.
- 100 Wipes

SOUDAL



**59-136**  
Gun & Foam Cleaner

Soudal Gun & Foam Cleaner Is a solvent cleaner specifically designed for cleaning of uncured PU foam

- 12 oz. aerosol can
- For Hands and Tools
- Cleans Uncured Solvent
- Removes Oil, Adhesive, Etc.

## GLASS CUTTER



**59-112**

Metal Handle Glass Cutter. Tungsten Carbide Wheel

## VINYL GLAZING BEAD IDENTIFICATION RING



**500-98NEW**

The #500-98NEW Contains 126 of the Most Popular Vinyl and Metal Glazing Bead Samples Organized by Shape and Color Approximately 1-1/2" Long on a Large Stainless Steel Ring with Locking Screw Threads.

- Take the ring of beads to your job repair site so you can identify broken beads in a minute.
- Avoid the clutter of keeping your samples in a bag or box, losing pieces, and save time with the ring program.
- Each ring keeps all your glazing bead samples together and organized so you are not losing samples, and can find them all right away to identify the bead you need.
- Each bead has a label with part number on it. You can add or remove beads as you need to or reorganize the beads the way you want them.

## GLASS CLEANER



[Click Here for Video](#)



**Foaming Glass Cleaner**

**59-101**

19 oz. can  
12 cans per case

- Industrial Strength
- The most versatile glass cleaner available
- Cleans glass, windows, mirrors, windshields, enamel surfaces, chrome, tile, porcelain and other hard surfaces.
- Sprays in any position
- Dissolves dirt, grease, grit and grime
- Heavy-Duty Foam clings to vertical surfaces
- Non-ammoniated
- Guaranteed to leave no film - "Streak Free"
- Safe on tinted glass, plastic and mirrors
- Contains cosmetic-grade alcohol for best performance
- Superior quality at competitive pricing
- Patent Pending Formulation

Spray X Glass Cleaner contains less water and more cleaning power. Our patent pending formulation allows us to meet the current VOC regulations and deliver maximum cleaning performance for our customers. Compare our alcohol content to other national brands and you'll notice our quality is significantly higher

Spray X Glass Cleaner uses SD-40B cosmetic grade alcohol that is 200 proof and 99.9% pure. This type of alcohol requires a registration with the US Department of Alcohol, Tobacco and Firearms, and each Spray-X Glass Cleaner can is marked with our registration number. Compare our registration to other brands and you'll quickly agree this product has been performance engineered to meet all your glass cleaning needs.

Spray X Glass Cleaner for cleaning and polishing glass, mirrors and other nonporous surfaces. This easy-to-use, fast-acting product uses clinging foam to break up soils and hold them - even on vertical surfaces. There's no dripping, no running and no streaking. With an exclusive industrial strength formulation, this product cleans thoroughly, dries quickly, requires no rinsing and leaves a pleasant, fresh aroma.

Spray-X Glass Cleaner utilizes a 360 degree valve for ease of use. This allows our product to be sprayed right side up or upside down. Other brands cannot spray upside down, but we have this solid valve feature, plus the anti-fatigue finger pad makes this packaging very attractive to all users.

Spray-X Glass Cleaner is alcohol based. It does not contain ammonia. When comparing our performance on tinted glass to ammoniated brands most professional installers praise the difference.

Spray-X Glass Cleaner is packaged in a two-piece steel can. No side seam means we use less energy and material and generate less waste. Our can weighs 10% less than the three-piece equivalent and is 100% recyclable. You will appreciate the new contemporary can design.

## PRIVATE LABEL SPRAY-X FOAMING GLASS CLEANER



**"Private Label Spray-X Foam Glass Cleaner as your own!!"**

**59-101P**

19 oz. can  
540 Can Minimum  
(45 Cases, 12 cans per case)

**59-101P4**

4 oz. can  
720 Can Minimum  
(60 Cases, 12 cans per case)

**59-101MIXP**

Mixed pallet of 540 4 oz. and 540 19 oz cans (1 pallet).  
Pallet consists of 45 cases of 19 oz. and 45 cases of 4 oz., 12 cans per case

- Guaranteed to Leave No Film- "Streak Free"
- Industrial Strength
- Cleans Glass, Windows, Mirrors, Windshields, Enamel Surfaces, Chrome, Tile Porcelain and Other Hard Surfaces
- Sprays in Any Position
- Dissolves Dirt, Grease Grit and Grime
- Heavy-Duty Foam Clings to Vertical Surfaces
- Non-Ammoniated
- Contains Cosmetic-Grade Alcohol for Best Performance
- Superior Quality at Competitive Pricing
- Advanced Formulation
- Available in 19 oz. and 4 oz. Cans



SW

↑  
Straight Wall  
↓



- ← Piece 1  
Top Chime and Dome
- ← Piece 2  
Can Wall
- ← Piece 3  
Bottom Chime